

1

HPM Technologie GmbH

spraying \cdot trickling \cdot lubricants

Identification of the substance/mixture and of the company:

Safety data sheet according to Regulation (EG) Nr. 1907/2006 Version 1.2



Revision date: 27.02.2019

Product identifier:					
	Trade name: SAMNOS Breeze				
	Supplier:	HPM Technologie GmbH Paul-Lechler-Straße 21 72581 Dettingen			
	Fon: Fax: Emergency telephone number:	+49 7123-88039-10 +49 7123-88039-81 +49 7123 88039-10			
	E-Mail: Internet:	info@hpmtechnologie.de www.hpmtechnologie.de			
	Responsible/ issuing person:	Environment/ Quality management			
2	Hazard identification:				
2.1.	Classification of the substance or mixture				
	Classification according to Regulation (EC) No. 1272/2008				
	This substance is not classified as dangerous good according to Regulation (EC) No. 1272/2008.				
2.2.	Label elements				
	Labelling according to regulation (EC) No. 1272/2008				
	This substance is not classified as dangerous good according to Regulation (EC) No. 1272/2008.				
2.3.	Other hazards				
	No further information available				
3	Composition/information on ingredients:				
	Chemical nature:	Formulation consisting of 2,2'- (ethylendioxy) diethanol. Free of brimstone, chlorine, zinc, heavy metal etc. Contains benzotriazole (EINECS, ELINCS, NLP: 202-394-1) up to a maximum of 0,2 %.			
4	First aid measures:				
	General advise:	No action needed.			
	After inhalation:	Breathe in fresh air, seek medical advise in case of continuing complaints.			
	After contact with the skin:	wash with a lot of water and soap. Seek medical advise if skin irritation lasts.			
	After eye contact:	Rinse the opened eyes out under flowing water several minutes. Seek medical advice in case of continuing complaints.			
	After swallowing:	Rinse the mouth out and drink a lot of water. Seek medical advise in case of continuing complaints.			
5	Firefighting measures:				
	Suitable extinguishing media:	Product does not burn			
	Unsuitable extinguishing media:	not applicable			
	Special hazards arising from the substance, their combusition products or accruing gases: Carbon dioxid (CO _x)				



HPM Technologie GmbH

spraying · trickling · lubricants

Safety data sheet according to Regulation (EG) Nr. 1907/2006



Version 1.2

Revision date: 27.02.2019

ргау	ng · trickling · lubricants	BREEZE			
	Further information:	Fire residues and contaminated water have to be disposed of safety.			
6	Accidental release measures:				
	Personal precautions:	Avoid contact with eyes and skin. Avoid breathing mist and vapors. Call attention to slip hazard in case of releasing of the material.			
	Environment precautions:	Do not flush into water, sewage and ground.			
	Methods for cleaning up / Absorption:	Absorb with liquid-binding material, for example acid binders.			
	Further information:	Information for personal protective equipment see chapter 8.			
7	Handling and storage:				
	Handling				
	Advice on safe handling:	Attend the common preventive measures when using chemicals. Spilled substances cause slip hazard.			
	Advice on protection against fire and exp	olosion: No action needed.			
	Storage:	Protect from frost.			
	Requirements for storage areas and con	tainers: Attend requirements of water law. Protect from frost.			
	Further information for storage:	Store cool and dry in locked barrel. Use open barrel within 24 months.			
	German storage class:				
	German Working Safety act:	German			
8	Exposure controls/ personal protection:				
	Further instructions for configuration technical installations: No specifications, see chapter 7.				
	Further instructions:	The at the date of preapring valid lists were were used as foundation			
	Personal protection:				
	General protection and hygiene measure	es: Attend usual preventive measures about using chemicals			
	Respiratory protection:	No action needed while observing limit values or other job limits.			
	Hand protection:	No health risks if direct contact with oil on hands.			
	Eye protection:	Better use safety goggle at decanting.			
	Body protection:	protection clothes			
9	Physical and chemical properties:				
	Form: li	quid			
	Colour: c	olourless			
	Odour: f	aintly			
	Evaporation:	nsignificant			
	Water solubility:	inlimited mixable at 20°C			

HPM Technologie GmbH Paul-Lechler-Straße 21 · 72581 Dettingen · Germany Fon:+49 7123-88039-10 · Fax:+49 7123-88039-81 · E-Mail: verkauf@hpmtechnologie.de www.hpmtechnologie.de



HPM Technologie GmbH

spraying \cdot trickling \cdot lubricants

Solubility:

Safety data sheet according to Regulation (EG) Nr. 1907/2006



Version 1.2 Revision date: 27.02.2019

	Consumer: Notation:	Disposal according to official instructions. Please consider further additional local or national instructions of disposal.		
	Disposal of packaging:	Disposal according to official instructions.		
	Disposal code:	130207		
13	Disposal consideration:			
	Other deletorius effects:	Low ecotoxicity.		
	Bioaccumulation:	No bioaccumulation.		
	Persistence and degradability:	completely biodegradable.		
	Mobility:	Light absorption in the ground.		
12	Ecological information:			
	Further toxicological instructions:	Due to the analysis of the General rating principles of the EC this product is not obligated to be labelled. As we now there is no injurious to health when using correctly and in accordance with the regulations.		
	Sensitisation:	No sensitizing effect known.		
	Air way:	Inhalation of smoke at a high temperature could cause air way irritation.		
	Eyes:	mild irritating.		
	Skin:			
	Primary Irritation:			
	Toxicological information: Acute toxicity:			
11				
	Hazardous reactions: Hazardous decomposition products:	Carbon monoxid and carbon dioxid. Nitric oxide /NOx.		
	Materials to avoid: Hazardous reactions:	strong oxidation agents. Reducing agent. No hazardous reactions known.		
	Terms to avoid:	No dangerous reactions known when correct storing and handling		
10	Stability und reactivity:			
	Viskosity (kinematical):	1,7 mm²/s (20°C) 1,0 mm²/s (40°C)		
	ph:	about 8		
	Density:	ca. 1g/cm³ at 20°C		
	Vapour pressure:	23 hPA at 20°C		
	Flash point:	non-inflammable		
	Boiling point:	about 100°C		

in highly polar solvents

HPM Technologie GmbH

Paul-Lechler-Straße 21 · 72581 Dettingen · Germany

Fon:+49 7123-88039-10 · Fax:+49 7123-88039-81 · E-Mail: verkauf@hpmtechnologie.de

www.hpmtechnologie.de





Version 1.2 Revision date: 27.02.2019

14	Transport information:				
	ADR / RID				
	UN number:	not applicable			
	Hazard label:	not applicable			
	IMDG / IMO				
	UN number:	not applicable			
	Hazard label:	not applicable	not applicable		
	IATA / ICAO				
	UN number:	not applicable			
	Hazard label:	d label: not applicable			
	Transport/ Additional information:	No dangerous good due to	the above-mentioned regulations.		
15	Regulatory information:				
	Labelling according to EC-instruction:		The usual preventive measures at using chemicals have to be considered. Due to EC-instruction GefStoffV this article is not obligated to be labelled.		
	National instruction: Classification according to German working safety act (BetrSichV): Other instructions, limitations and prohibition regulations:				
			-		
			This product or rather its monomeric components are listed in TSCA (USA), DSL (Kanada), EINECS (Europe), MITI or MOL (Japan), NICNAS (Australia), ECL (Korea), IECSC (China) und PICCS (Philippines).		
16	Other information:				
	The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only				

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relation ship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. This safety data sheet only contains security-relevant information and does not replace any product information or product specifications.